

September 30, 2009

To: PCTEL Customers
From: PCTEL Product Management
Subject: PCTEL Discontinued Parts

Dear Customer:

Every year PCTEL's Product Line and Sales management teams conduct a thorough review of the active product skus in an effort to maximize manufacturing efficiencies, eliminate product redundancies and wane the line of models that have surpassed the maturity product life cycle. This practice enables PCTEL to concentrate engineering, manufacturing and customer service resources on bringing you industry leading antenna solutions.

To that end, please find attached the list of 2009 Discontinued Parts. Effective immediately, the models listed in the following page(s) will no longer be available for sale. Please update your part ordering system to reflect the obsolescence of these items.

Thank you in advance for your cooperation and understanding on this matter. Should you have any questions or concerns, please do not hesitate to contact PCTEL's Customer Service Department.

Regards,

Rishi Bharadwaj
Vice President of Product Management

PCTEL, Inc.
 Obsolete Parts - September 30, 2009

| MODEL NUMBER | GENERAL DESCRIPTION |
|------------------------|---|
| 297287 | 902-928 MHZ, 6 DBD, COLLINEAR OMNI, N FEMALE |
| 297387 | KIT- CONSISTING OF MFB4505NF AND MMK4 (1 OF EACH) |
| 2867801 | 890-960 MHZ, 3 DBD 2 ELEM CLEAR YAGI, N FEM, 2' LMR JUMP |
| 2867814 | 890-960 MHZ, 6.5 DBD 3 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| 5606650 | 890-960 MHZ, 10 DBD 7 ELEMNT CLR YAGI, NMALE, 25' LMR JMP-PHX |
| 5607085 | 403-430 MHZ, 6.5 DBD 3 ELEM CLEAR YAGI, N FEMALE, 2' JUMP-PHX |
| 5607086 | 403-430 MHZ, 10 DBD 7 ELEM CLEAR YAGI, N FEMALE, 2' JUMP-PHX |
| 5607087 | 450-470 MHZ, 6.5 DBD 3 ELEM CLEAR YAGI, N FEMALE 2' JUMP-PHX |
| 5607088 | 450-470 MHZ, 10 DBD 7 ELEM CLEAR YAGI, N MALE, 2' JUMPER-PHX |
| 6720005228 | COLINEAR OMNI, 902-928 MHZ, 3 DBD, N FEMALE |
| 7-0132-223 | 890-960 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 10' LMR JMP |
| 7-0132-235 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N FEMALE, 2' JUMPER-FLO |
| 7-0132-239 | 890-960 MHZ, 12 DBD 11 ELEMENT YAGI, N FEMALE, 2' JUMPER-FLO |
| AGPS16MMMSMA | MDS 16DB GPS MAG MOUNT ANT, 17' RG-174/U, MSMA |
| AGPS26GMRASBP | AGPS26GM WITH RA SMB CONN |
| AGPS26SMMSMA | 26DB ACT GPS, SCRW MT, MSMA |
| AGPS26SMRASBP | 26 DB ACT GPS, SCR MNT, RASBP |
| AGPS26TMMMCX | GPS L1, 26 DB, TAPE MNT, MMCX CONNECTOR |
| AP354 | ON-GLASS ANT MHZ 380-474 |
| APA874.3M | ON-GLASS ANT MHZ 806-869 |
| APD873.3M | ON-GLASS ANT MHZ 824-894 |
| APD873.3T | ON-GLASS ANT MHZ 824-894 |
| APR143 | ON-GLASS ANT MHZ 138-174 |
| APS151 | ON-GLASS ANT MHZ 144-174 |
| APXD873.3M | ON-GLASS ANT MHZ 824-894 |
| APXD873.3T | ON-GLASS ANT MHZ 824-894 |
| APXD876.3M | ON-GLASS ANT MHZ 824-894 |
| ASP1815 | ANT CONVRS MHZ 806-960 |
| ASP3 | BASE |
| ASP372 | TRANSIT ANT MHZ 380-400 |
| ASP772RB | TRANSIT ANT MHZ 453-462 |
| ASP7795LS | SPRNGLS CONV MHZ 445-470 |
| ASPA1894B | MAG MT ANT 806-869 MHZ |
| ASPA915 | ANT CONVRS MHZ 806-869 |
| ASPC76553 | ANTENNA, 494-512 MHZ, 5DBD, MOSAIC |
| ASPD913U | ELEVATED FEED CELLULAR/PCS |
| ASPF7795 | ANT CONVRS MHZ 485-505 |
| ASPR7920 | RFTP ANT MHZ 806-869 |
| ASPRD720CHP | M/C ANT MHZ 42- 43 |
| ASPS177 | RFTP ANT MHZ 130-174 |
| AST-03-S9 | ROOFTOP 800/900/PCS/GPS, 17' RGT-174/U MSMA |
| AST8001900GPSFSMA | ROOFTOP 800/900/PCS/GPS, 17' RG-174/U FSMA |
| AST8001900GPSMSMA | ROOFTOP 800/900/PCS/GPS, 17' RGT-174/U MSMA |
| BM34-NL | BR 3/4MT, NO CABLE/CONN. |
| BMATMFC | BRASS MATM, WHITE TEFLON, TNC PLUG |
| BMATMFPL | BRASS 3/8:3/4, 17 FT WHITE TEFLON, M-UHF |
| BMATMMFME | BRASS MATM 17' RG58/U, MFME |
| BMATMNSO | BRASS 3/8:3/4, 17 FT RG58/U, N SOLDER |
| BMFFME | BR 3/4"MT, 17'RG58U, FEMALE, FME |
| BMFT120BGM | BMFT120, BGM MOUNT |
| BMLPVDB800/1900MTPM800 | BLK MLPV 806-960, MTPM 800 |
| BMMB38 | 3/8 MIRROR MOUNT, BLACK |
| BMMG24005//MSMA | 2.4 GHZ, 5DB, MINIMAG, RG174, MSMA |
| BMMG24005ML195UN | 2.4 GHZ, ISM, 5DB, MINI MAG, N |

PCTEL, Inc.
 Obsolete Parts - September 30, 2009

| MODEL NUMBER | GENERAL DESCRIPTION |
|-----------------|--|
| BMMG24005RAMMCX | 2.4 GHZ, ISM, 5DB, MINI MAG, R/A MMCX PLUG |
| BMMG24005RPC | 2.4 GHZ, 5 DB, MINI MAG, RPC |
| BMMG24005RPMSMA | 2.4GHZ, ISM, 5DB, MINI MAG, RP MSMA |
| BMMG24005UN | 2.4GHZ, ISM, 5DB, MINI MAG, N |
| BMMG824/1850U | DUAL BAND MINI MAG ANTENNA 824-896 / 1850 - 1990 MHZ W/ADAPT |
| BMMG824/1900PL | 824-896 / 1850-1990 6' ML 100 MINI-UHF |
| BMMG8350C | 806-896, UNITY, MINI MAG, TNC, BLK |
| BMMG8350MSMA | 806-896, UNITY MINI MAG |
| BMMG8350PL | 806-896, UNITY, MINIMAG, MINI-UHF |
| BMUF4085P | ELEVATED FEED, PUSH PIN 405-430, 5DB, CCC |
| BMUF7603P | 800 MHZ 3DB ELFD W/PUSH PIN BLK |
| BMUF8063 | 806-866, 3DB ANTENNA, BLACK |
| BMUF8253 | 825-896, 3DB ANTENNA, BLACK |
| BMUF9043 | 896-940, 3DB, OCC, BLACK |
| BMY1350H | 1350-1454 MHZ, 7 DBD 3 ELEMENT YAGI, N FEMALE |
| BMY1350K | 1350-1454 MHZ, 10 DBD 7 ELEMENT YAGI, N FEMALE |
| BMY403G3015N1 | 403-430 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 15' LMR JUMPER |
| BMY403G3025N1 | 403-430 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 25' LMR JUMPER |
| BMY403G3030N1 | 403-430 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 30' LMR JUMPER |
| BMY403G3040N1 | 403-430 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 40' LMR JUMPER |
| BMY403G5502N1 | 403-430 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY403G5515B1 | 403-430 MHZ, 6.5 DBD 3 ELEMENT YAGI, BNC MALE, 15' JUMPER |
| BMY403K3035N1 | 403-430 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 35' LMR JUMPER |
| BMY403K3040N1 | 403-430 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 40' LMR JUMPER |
| BMY450D5502N1 | 450-470 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE 2' JUMPER |
| BMY450D5502N4 | 450-470 MHZ, 3 DBD 2 ELEMENT YAGI, N FEMALE 2' JUMPER |
| BMY450G5502N1 | 450-470 MHZ, 6 DBD 3 ELEMENT YAGI, N MALE 2' JUMPER |
| BMY450G5502N4 | 450-470 MHZ, 6 DBD 3 ELEMENT YAGI, N FEMALE 2' JUMPER |
| BMY451K5502N4 | 450-480 MHZ, 10 DBD 7 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY451M5502N1 | 450-480 MHZ, 12 DBD 11 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY451M5502N4 | 450-480 MHZ, 12 DBD 11 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY690G5502N4 | 690-746 MHZ, 6.5 DBD, 3 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY690K5502N4 | 690-746 MHZ, 10 DBD, 7 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY690M5502N4 | 690-746 MHZ, 12 DBD, 11 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY690N5502N4 | 690-746 MHZ, 13 DBD, 11 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY745G5502N1 | 745-806 MHZ, 6.5 DBD, 3 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY745K5502N1 | 745-806 MHZ, 10 DBD, 7 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY745M5502N1 | 745-806 MHZ, 12 DBD, 11 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY806D5502N1 | 806-896 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY806D5502N4 | 806-896 MHZ, 3 DBD 2 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY806D5525N1 | 806-896 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 25' JUMPER |
| BMY806D5550N1 | 806-896 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 50' JUMPER |
| BMY806G3025N1 | 806-896 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 25' LMR JUMPER |
| BMY806G5502N1 | 806-896 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY806G5502N4 | 806-896 MHZ, 6.5 DBD 3 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY890D1005S1 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 5' LMR JUMPER |
| BMY890D3002N1 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 2' LMR JUMPER |
| BMY890D3002N4 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N FEMALE, 2' LMR JUMPER |
| BMY890D3005N1 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 5' LMR JUMPER |
| BMY890D3015N1 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 15' LMR JUMPER |
| BMY890D3020N1 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 20' LMR JUMPER |
| BMY890D5502N1 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N MALE, 2' JUMPER |
| BMY890D5502N4 | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMY890K31100N1 | 890-960 MHZ, 10 DBD 7 ELEMNT YAGI, 2 N MALE, 100' LMR JUMPER |

PCTEL, Inc.
 Obsolete Parts - September 30, 2009

| MODEL NUMBER | GENERAL DESCRIPTION |
|------------------|---|
| BMY890K31150N1 | 890-960 MHZ, 10 DBD 7 ELEMNT YAGI, 2 N MALE, 150' LMR JUMPER |
| BMY890K3160N1 | 890-960 MHZ, 10 DBD 7 ELEMNT YAGI, 2 N MALE, 60' LMR JUMPER |
| BMY890K3180N1 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, 2 N MALE, 80' LMR JUMPER |
| BMY890Q5502N1HH | 890-960 MHZ, 16.5 DBD 18 ELEMENT YAGI, N MALE, H-POL H-STACK |
| BMY890Q5502N1HV | 890-960 MHZ, 16.5 DBD 18 ELEMENT YAGI, N MALE, H-POL V-STACK |
| BMY890Q5502N1VH | 890-960 MHZ, 16.5 DBD 18 ELEMENT YAGI, N MALE, V-POL H-STACK |
| BMY890Q5502N1VV | 890-960 MHZ, 16.5 DBD 18 ELEMENT YAGI, N MALE, V-POL V-STACK |
| BMY890Q5502N4VH | 890-960 MHZ, 16.5 DBD 18 ELEMENT YAGI, N FEM, V-POL H-STACK |
| BMYD450D | 450-470 MHZ, 3 DBD 2 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMYD806D | 806-896 MHZ, 3 DBD 2 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BMYD890D | 890-960 MHZ, 3 DBD 2 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BSY890G5502N1 | 890-960 MHZ, 6.5 DBD 3 ELEMENT SUMMIT YAGI, NMALE, 2' JUMPER |
| BSY890K3005N4 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N FEMALE, 5' LMR JUMPER |
| BSY890M5502N1 | 890-960 MHZ, 12 DBD 11 ELEMENT YAGI, N MALE, 2' JUMPER |
| BSY890M5502N4 | 890-960 MHZ, 12 DBD 11 ELEMENT YAGI, N FEMALE, 2' JUMPER |
| BWC1002 | CLAMP, PARALLEL PIPE TO PIPE DIAM 1.5-3.5" |
| BWC1003 | CLAMP, PERPENDICULAR PIPE TO PIPE DIAM 1.5-3.5" |
| BWC1005 | CLAMP, LIGHT DUTY PARALLEL OR PENDICULAR 1.5-2.4" |
| BWC1014 | CLAMP, PERPENDICULAR YAGI DIAM 1/2-7/8" TO MNT 1.5-2.4" ROTAT |
| BWC1014A | CLAMP, PERPENDICULAR YAGI DIAM 1/2-1" TO MNT 1.5-4.5" ROTAT |
| BWC1015T | CLAMP, OFFSET TELEPHONE POLE MNT FOR PARALEL PIPE 1.25-2.4" |
| BWC1022 | CLAMP, THROUGH BOOM BRACKET 1-2.4", BGY'S ONLY |
| BWJ10002N1S1 | JUMPER, LMR200, 2 FOOT, N MALE TO SMA MALE |
| BWJ10002N1T1 | JUMPER, LMR200, 2 FOOT, N MALE TO TNC MALE |
| BWJ10003N1N1 | JUMPER, LMR200, 3 FOOT, N MALE TO N MALE |
| BWJ10003N1S1 | JUMPER, LMR200, 3 FOOT, N MALE TO SMA MALE |
| BWJ10003N1T1 | JUMPER, LMR200, 3 FOOT, N MALE TO TNC MALE |
| BWJ10010N1S2 | JUMPER, LMR200, 10 FOOT, N MALE TO SMA REVERSE POLARITY |
| BWJ10A14N1S1 | JUMPER, LMR200, 14 INCHES, N MALE TO SMA MALE |
| BWJ10A14N1S3 | JUMPER, LMR200, 14 INCHES, N MALE TO SMA MALE 90 DEGREE |
| BWJ10A18N1S2 | JUMPER, LMR200, 18 INCHES, N MALE TO SMA REVERSE POLARITY |
| BWJ20A13N1S1 | JUMPER, LMR240, 13 INCHES, N MALE TO SMA MALE |
| BWJ20A36N1N1 | JUMPER, LMR240, 36 INCHES, N MALE TO N MALE |
| BWJ52003S2S7 | JUMPER, RG58, 3 FOOT, SMA REV POLARITY TO SMA FEM REV POL |
| BWJ52006S2S7 | JUMPER, RG58, 6 FOOT, SMA REV POLARITY TO SMA FEM REV POL |
| BWJ52A08S2S7 | JUMPER, RG58, 8 INCH, SMA REV POLARITY TO SMA FEM REV POL |
| BWJ53003N1N1 | JUMPER, RG142, 3 FOOT, N MALE TO N MALE |
| BWJ53008N1N1 | JUMPER, RG142, 8 FOOT, N MALE TO N MALE |
| BWJ53008N1N2 | JUMPER, RG142, 8 FOOT, N MALE TO N MALE 90 DEGREE |
| CBL-20-48-N1-T1 | 4 FT 0 IN LMR 240, N MALE&TNC MALE |
| CBL-30-120-N1-S1 | 10 FT 0 IN LMR 400, N MALE&SMA MALE |
| CBL-30-480-N1-S1 | 40 FT 0 IN LMR 400, N MALE&SMA MALE |
| CBL-54-120-N1-Z3 | 10 FT 0 IN RG-174, N MALE&RIGHT-ANGLE MMCX PLUG |
| CBL-54-12-N1-Z1 | 1 FT 0 IN RG-174, N MALE&MMCX PLUG |
| CBL-54-36-N1-Z3 | 3 FT 0 IN RG-174, N MALE&RIGHT-ANGLE MMCX PLUG |
| CBL-62-42-N9-X1 | 3 FT 6 IN RG-316, N FEMALE BULKHEAD&MCX PLUG |
| CBL-62-42-N9-Z4 | 3 FT 6 IN RG-316, N FEMALE BULKHEAD&MMCX JACK |
| CMS-MY890G3025N1 | 890-960 MHZ, 6.5 DBD 3 ELEM BLK YAGI, N MALE, 25' LMR JMP |
| CMS-MY890G5502N4 | 890-960 MHZ, 6.5 DBD 3 ELEM BLACK YAGI, N FEMALE, 2' JMP |
| CMS-MY890K3025N1 | 890-960 MHZ, 10 DBD 7 ELEM BLK YAGI, N MALE, 25' LMR JMP-CMS |
| CMS-MY890K5502N4 | 890-960 MHZ, 10 DBD 7 ELEM BLACK YAGI, N FEMALE, 2' JUMP-CMS |
| CMS-WJ01003N1Z1 | JUMPER, LMR 100, 3 FOOT, N MALE TO SMB MALE - CMS |
| CMS-WJ10003N1S1 | JUMPER, LMR 240, 3 FOOT, N MALE TO SMA MALE-CMS |
| DP3436-18XPNF | PANEL ANTENNA, 3.4-3.6 GHZ, 18DBI, N FEMALE PLUG W/ ADJ MOUNT |

PCTEL, Inc.
 Obsolete Parts - September 30, 2009

| MODEL NUMBER | GENERAL DESCRIPTION |
|--------------------|--|
| DSAASP1815 | ASP1815 CMM DOCS |
| DSAASPA1894M | LABELED ASPA1894M, 806-896 MHZ |
| DSAMHB5802BMPL | MHB5802 & BMPL W/CMM |
| DSAP455 | "ON-GLASS" 440-470 MHZ ANTENNA |
| ENGZ529P1 | XATA ANTENNA ASSY,GPS/900MHZ |
| ENGZ529P3 | XATA ANTENNA ASSY-900 MHZ |
| FLO-MY890G3010N1 | 890-960 MHZ, 6.5 DBD 3 ELEMENT YAGI, N MALE, 10' LMR JMP |
| FLO-MY890K5502N4 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N FEMALE, 2' JUMPER-FLO |
| FLO-MY890M5502N4 | 890-960 MHZ, 12 DBD 11 ELEMENT YAGI, N FEMALE, 2' JUMPER-FLO |
| GLBN | GL,12'58U,CR BN,CHR |
| GMHFML195C//25 | HIGH FRQ MAG MNT, 25' PFP195, MTNC |
| GMLFML195//C | MAG BASE, LOW FREQUENCY, PFP195, CHROME, TNC ATTACHED |
| GPSPMMFSMA/PL | GPS PLUS, BLACK, MAG MNT, FSMA/MINI UHF |
| GPSPMRMSMA/-NC | GPS PLUS, MIRROR, BLK, MSMA, -NC |
| GPSPMRMSMA/PL | GPS PLUS, MIRROR, BLK, MSMA, PL |
| GPSPSMC/MSMA | GPS STUD, BLK, MTNC, MSMA |
| GPSPSMCRAMSMA// | GPS PLUS, STUD MNT, BLACK, MTNC, RAMSMA |
| GPSPSMCX/-NC | GPS PLUS, STUD MNT, MCX, NC |
| GPSPSMCX/PL | GPS STUD MNT MMCX, MINI UHF |
| GPSPSMRASBJ/FFME | GPS PLUS, STUD MNT, RASBJ, FFME |
| GPSPTMMSMA/C | GPS PLUS, TRNK, BLK, MSMA, TNC |
| GPSPTMMSMA/PL | GPS PLUS, TRUNK, BLK, MSMA, PL |
| GPSQBEMSMAMTNCRPC | QUADBAND SHARKFIN GSM/3G/GPS/WIFI |
| GPSQBEMSMAMTNCRPC | QUADBAND SHARKFIN GSM/3G/GPS/WIFI |
| GPSQBE-NC-30CM | QUADBAND SHARKFIN GSM/3G/GPS/WIFI, 30CM, N/C |
| GPSQBMSMA/C/RPMSMA | QUAD BAND SHARK FIN, ROOF MNT, MSMA, MTNC, RPMSMA |
| GPS-QBW-20NCM | GPS ANTENNA, TIMING REFERENCE, 20DB, MOT |
| GPS-QBW-20NMSCM | GPS ANTENNA, TIMING REFERENCE, 20 DB, WIT |
| GPS-QBW-26NMS | GPS ANTENNA WITH MOUNT KIT |
| GPS-QCW-50NCL | GPS TIMING ANTENNA |
| ISOMAX24014PTNF | 2.4 GHZ, 14DBI, SECTORIZED ANTENNA, NF |
| ISOMAX24014PTNM | 2.4 GHZ 14DBI SECTORIZED ANTENNA |
| K115 | INS GUTTER CLIP |
| K67 | GROUND PLANE KIT |
| KD6-12-204-T1-N | RFTP MOUNT & CABLE, CONNECTOR NOT ATTACHED |
| KD66 | RFTP MOUNT & CABLE |
| KD873ZTES | KD873Z ROD, INDV BAGGED, TESSCO LBL |
| KD876Z | REPL WHIP - STRAKED |
| KE166//NC | ROOF TOP MNT & CABLE, MINI UHF |
| KE166M | ROOF TOP MNT & CABLE, MINI UHF |
| KE166N | RFTP MT & CABLE N CONN |
| KEX166 | RFTP MT & CABLE |
| LCS-MY890K3010N2 | 890-960 MHZ, 10DBD 7 ELEM YAGI, N MALE 90DEG,10' LMR JMP-LCS |
| MAX8135 | 806-896,5DB,OCT,CHROME |
| MAX8155S | 806-896,4.5DB,CCC ANT,W/SPRG |
| MAX8355 | 824-896,5DB,OCT |
| MBS150 | 144-174,UNITY,OMNIBASE STATION |
| MBS450 | 450-470,UNITY,OMNIBASE STATION |
| MBX150 | 144-174,3DB,OMNIBASE STATION |
| MBX450 | 450-470,3DB,OMNIBASE STATION |
| MC2400PTMSMARP// | 2.4 GHZ CEIL MNT OMNI, RPMSMA, 72 IN PT MAX |
| MC24580304PTRPC | 2.4 / 5.8 GHZ 3 DBI / 4 DBI CEILING MNT OMNI RPC |
| MCA8XNMBN// | RG8X CBL ASSEMBLY, NM, BNC CONNECTORS |
| MCA8XNMMC// | CABLE ASSY, RG8X, MALE N, MALE TNC |

PCTEL, Inc.
 Obsolete Parts - September 30, 2009

| MODEL NUMBER | GENERAL DESCRIPTION |
|-------------------|--|
| MCC-SY890G30135N1 | 890-960 MHZ, 6.5 DBD 3 ELEM YAGI, N MALE, 135' LMR JUMP-MCC |
| MCC-SY890G3030N1 | 890-960 NHZ, 6.5DBD 3 ELEMENT YAGI, N MALE, 30' LMR JUMP-MCC |
| MCC-SY890G3060N1 | 890-960 MHZ, 6.5DBD 3 ELEMENT YAGI, N MALE, 60' LMR JUMP-MCC |
| MCC-SY890G3065N1 | 890-960 MHZ, 6.5DBD 3 ELEMENT YAGI, N MALE, 65' LMR JUMP-MCC |
| MCC-SY890G3075N1 | 890-960 MHZ, 6.5DBD 3 ELEMENT YAGI, N MALE, 75' LMR JUMP-MCC |
| MCC-SY890K30100N1 | 890-960 MHZ, 10DBD 7 ELEMENT YAGI, N MALE, 100' LMR JUMP-MCC |
| MCC-SY890K3015N1 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 15' LMR JUMP-MCC |
| MCC-SY890K3020N1 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 20' LMR JUMP-MCC |
| MCC-SY890K3025N1 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 25' LMR JUMP-MCC |
| MCC-SY890K3050N1 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 50' LMR JUMP-MCC |
| MCC-SY890K3055N1 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 55' LMR JUMP-MCC |
| MCC-SY890K3070N1 | 890-960 MHZ, 10 DBD 7 ELEMENT YAGI, N MALE, 70' LMR JUMP |
| MCO24005PTRPMSMA | 2.4 GHZ CEILING MOUNT 5.5 DBI RPMSMA |
| MDBM800/1900MTNC | CELLUARL/PCS,13.12 CABL,TNC,MALE |
| MDF150/450 | VHF/UHF DUALBAND COUPLER |
| MFB24010NM | 2.4 GHZ, ISM 10 DBI, F.G. OMNI, NM |
| MFB4505NF | 450-460,5DB,FIBERGLASS,N FEMAL |
| MFB49009DC | 9DBI, 4.9GHZ MFB FG OMNI, NF, DC |
| MFB8130 | 806-866,UNITY,FIBERGLASS BASE |
| MFB8580 | 806-866,UNITY,FIBERGLASS BASE |
| MFB9150 | 902-928,UNITY,FIBERGLASS BASE |
| MFBW8063 | 806-945 MHZ, 3DB, MFB OMNI, NF CONN |
| MFT120-NL | 118-940,FT,UNITY,1/4 WAVE,CHR |
| MGB | DC GROUNDING BLOCK |
| MHA1900PTNF | BIDIRECTIONAL 1900 PLENUM NF |
| MHA2400PTC | 2.4 GHZ,BIDIRECTIONAL HALLWAY PANEL |
| MHA2400PTMSMA | 2.4 GHZ,BIDIRECTIONAL HALLWAY PNL |
| MHA2400PTNF | 2.4 GHZ,BIDIRECTIONAL HALLWAY PANEL |
| MHA2400PTRPMSMA | 2.4 GHZ BIDIR HALLWAY, RPMSMA |
| MHA2400PTRPTNC | 2.4GHZ BIDIRECTIONAL HALLWAY PNL |
| MHA824PTNF | BIDIRECTIONAL WEDGE 824 PLENUM NF |
| MHB2200 | 220-225 UNITY,1/4 WAVE ANTENNA |
| MHB5800HDS | 144-174, 3DB,W/SPRING ANTENNA |
| MHB5802132-NL | 132-174,UNITY,CHR |
| MHBDC2202 | 220MHZ,2DB MOBILE,DC GRND NGP |
| MHFML195C//25 | HIGH FREQ PERM MNT, 25' PFP 15 MTNC |
| MHWS24495803RPMSM | MHWS24495803RPMSMA |
| MIG2425PTMSMA | ISM MMDS 4 DBI, 18" PT, OMNI |
| MIG2425PTRAMMCX | 2.4 - 2.686 MIG, BLK, 18" PT, RAMMCX |
| MIG2425PTUNM | 2.4 GHZ 4 DBI OMNI FFME W/ "N" MALE ADAPTOR |
| MIG2458PTMCX | DUAL BAND MIG, BLACK 2.4/5.8 GHZ MCX CONN |
| MIG2458PTMMCX | 2.5 - 5.8 GHZ MIG 72" PT, MMCX |
| MIG2458PTMSMA | 2.4-5.1-.58 GHZ MIG, OMNI 72 DEG MSMA |
| MIG24PT72MMCX | 2.4 GHZ MIG, BLACK, 72" PT MMCX |
| MIG24PT72MSMA | 2.4 GHZ MIG, BLK, 72" PT, MSMA |
| MIG24PT72RAMMCX | 2.4 GHZ MIG, BLK, 72" PT, RAMMCX |
| MIG24PT72RPMSMA | 2.4 GHZ, MIG OMNI, 72' RP MSMA |
| MIG24PTMMCX | 2.4 GHZ MIG OMNI,18" MMCX |
| MIG24PTMSMA | 2.4 GHZ MIG OMNI,18" PT,MSMA |
| MIG24PT-NC | 2.4 GHZ MIG OMNI 18 NC |
| MLPC406 | 406-430 MHZ, LOW PROFILE CEILING ANTENNA |
| MLPC450 | 450-470 MHZ LOW PROFILE CEILING ANTENNA |
| MMK11 | CEILING MOUNT, MFB2400 |
| MMK12 | HEAVY DUTY SAN CAST BRACKET ASSEMBLY |

PCTEL, Inc.
 Obsolete Parts - September 30, 2009

| MODEL NUMBER | GENERAL DESCRIPTION |
|----------------------|--|
| MMK6 | MFB MOUNT BRACKET |
| MMK8A-NL | MNT BRKT |
| MMO24005PT36NF | 2.4 GHZ MAST MOUNT 5.5 DBI 36" PT NF |
| MMO24005PTNM | 2.4 GHZ MAST MNT, 5.5 DBI NM |
| MMOD | MOUNT, DIVERSITY FOR MMO |
| MMOD24005PT36RPC | 2.4 GHZ 5DBI OMNI DIVERSITY MOUNTED |
| MMS18 | 18' MAST FOR VHF DIPOLE |
| MMSO2300PTRPC | 2.4 GHZ MINI,BLKHD ANT, RPC |
| MP19013PTFC | 12.5DBI,PCS PNL,PGTL,TNC,FEM CONN |
| MP19013PTFSMA | 12.5 DB;PCS PANEL,PIGTAIL,FEMALE-SMA |
| MP19013PTNF | 12.5DBI PANEL,PIGTAIL,NF |
| MP24008XFPTFSMA | 2.4 GHZ, ISM-XF PANEL ANT, 8 DBI, FSMA |
| MP24013XFPTFC | 2.4 GHZ, ISM-XF PANEL ANT, FC |
| MP24013XFPTMRPC | 2.4 GHZ, ISM-XF PANEL ANT, 13 DBI, MRPC |
| MP24013XFPTNF | 2.4 GHZ ISM-XF PANEL ANT,13DBI,NF |
| MP24013XFPTNM | 2.4 GHZ ISM, XF PANEL ANT, 13 DBI, NM |
| MP24013XFPTRPMSMA | 2.4 GHZ, ISM-XF PANEL ANT, 13 DBI RPMSMA |
| MP495913XFPTNF | 4.9-5.9 GHZ, 13DBI PANEL, NF CONN |
| MP495913XFPTNM | 4.9-5.9 GHZ, 13DBI PANEL, NM CONN |
| MP8066PTFSMA | 6 DBD, 806-866 MHZ PNL FSMA |
| MP8066PT-NC | 6DBD,806-866MHZ,PNL,PGTL,NO CONN |
| MP8066PTNF | 6 DBD,806-866MHZ PANEL PT-NF |
| MP8906PT//C | 6 DBI, 890-960MHZ, PANEL, PTC |
| MP8906PT//MSMARP | 6 DBI, 890-960 MHZ PANEL, MSMARP |
| MP8906PT//RPN | 8 DBI, 890- 960 MHZ, PANEL W/ RPN |
| MP8906PT-NC | 890-960MHZ,6DBD PNL ANT,PGTL,NO CONN |
| MP8906PTNF | 6DBD, 890-960MHZ PANEL PT-NF |
| MP8906PTNM | 6 DBD 890-960 MHZ PANEL PT-NM |
| MP9026CPRXFPTMSMA | 902-928 MHZ RHCP 6.4 DBIC PANEL |
| MPAB12 | MTG BRKT,PNL,LT DTY,LONG,ADJ |
| MPAB14 | CAST AL ADJ MTG BRKT, XF PNL |
| MSP2401660 | 2.4GHZ,SEC PNL,60DEG,16DBI,PTNF |
| MUF7603P | 800 MHZ 3DB ELFD W/PUSH-PIN - CHROME |
| MUF8105 | 806-866,5DB,OCT,CHR |
| MUF9043 | 896-940,3DB,OCC,CHROME |
| MYK9 | HEAVY DUTY ALUM PLATE MTG BRKT |
| MYP24010PTRPC | 10 DBI 2.4 GHZ ENCLOSED TUBE |
| MYP24010PTRPNM | 10 DBI 2.4 GHZ ENCLOSED TUBE |
| MYP24014PTRPNF | 2.4 GHZ YAGI ENCLOSED 14 DBI GAIN RPNF |
| MYP24014PTRPNM | 2.4 GHZ ENCLOSED YAGI, 14 DBI, RPNM |
| NMOWTC | NMO 3/4" MNT, 17' WHITE TEFLON, TNC CRP |
| RDD5239A | MHB1520,BM MOUNT |
| RDD5459A | 132-174; 1 BAY DIPOLE, W/N CONN. |
| RDH4419A | BMMG24005RPC |
| RGRF240MSMA//7FT | RG, 7 FT RF240 CBL, MSMA |
| RRA4942B | ON-GLASS 824-896 MHZ |
| SIL-GY890K1010S2 | 890-960 MHZ, 10DBD 7 ELEM YAGI,SMA REV POL,10'LMR200 JMP |
| SP3338-19-AM | SECTOR PANEL 48" 3.5 GHZ 60 DEG |
| UCT-GY890G5535N1K1 | 890-960 MHZ, 6.5DBD, 3ELEM YAGI, N MALE, 35' JMP NM KIT |
| UFDD24580303PTNF | DUAL DIV 2.4/5.8 GHZ ABOVE CEILING NF |
| UFDD24580303PTRPMSMA | DUAL DIV, 2.4/5.8 GHZ, CEILING MNT, PRMSMA |
| WGSPSPMMSMA/C | WHITE GPS PLUS STUD MSMA, TNC |
| WGSPSPMMSMA/MSMA | WHITE GPS PLUS, STUD MNT, MSMA/MSMA |
| WGSPSPMMSMA/-NC | GPSPLUS, STUD, WHT, MSMA, -NC |

PCTEL, Inc.
 Obsolete Parts - September 30, 2009

| MODEL NUMBER | GENERAL DESCRIPTION |
|----------------|---|
| WISP24009PTNF1 | 2.4 GHZ WISP 9 DBI XF PANEL, BLK |
| WISP24013PTNF1 | 2.4 GHZ WISP 13 DBI XFPANEL, NF BRKT |
| WISP24018PTNF1 | 2.4 GHZ WISP 18DBI PANEL, NF BRKT |
| WMLPV2400NGP | WHITE/CHRM 2.4 GHZ NGP MLPV |
| WMLPV406 | LOW PROFILE VERT., 406-440 MHZ, WHITE |
| WMLPV430 | LOW PROFILE VERT. 430-480 MHZ, WHITE |
| WMLPV450 | LOW PROFILE VERT., 450-512 MHZ, WHITE |
| Z1188 | 825-896,9DB,6 ELEMENT YAGI |
| Z1306C | MLPVDB800/1900S AND MOD BM MOUNT |
| Z1413 | BMLPV800, ZMATMRAMSMA |
| Z1417 | 2.4 GHZ, 8 DBI XF PNL, 12' 195, RPBN |
| Z1681MNT | MNT FOR Z1681 |
| Z1926 | TRIBAND SHARKFIN MCX ON GPS AND MSMA CELL/PCS |
| Z1939 | GPS TIMING ANTENNA MOUNT 1.7" ID SCHED 80 PIPE |
| Z1950 | 3DB 806-896 MHZ BLACK ANTENNA WITH BRASS 3/4" PERM MNT FFME |
| Z2017 | 800-960 MHZ MFB 3DB W/MMK12 |
| Z2018 | 800-960 MHZ MFB 3 DB W/MMK12 |
| Z2035 | OMNI MFB 806-940MHZ, 3 DBI |
| Z2093 | BMLB3001 W/ 10' RG58A/U, FFME |
| Z2318A | MHFML195, RPTNC CRIMPED, 6FT COAX |
| Z2319A | MHFML195, RPTNC CRIMPED, 10FT COAX |
| Z2425 | HD WIDEBAND VHF MOBILE W/ SPRING |
| Z2441P | ELEVATED FEED, PUSH PIN, CHRM, 430-450 MHZ |
| Z2442P | ELEVATED FEED PUSH PIN 440-480, UNITY |
| Z2444P | ELEVATED FEED, PUSH PIN 430-450 MHZ, 5DB CCC |
| Z2445P | ELEVATED FEED, PUSH PIN 450-470, 5DB, CCC |
| Z3000 | 126DB TIMING REFERENCE ANTENNA - BLACK RADOME |
| Z3127 | 25 EACH MWB1320 AND BM-NC, PACKED TOGETHER |
| Z3146 | SPECIAL TUNED MFB19008A |
| Z3156 | 5.75-5.85GHZ,5DBI,ELFD W/HIGH FREQ PERM MNT,25' ML195, MTNC |
| Z3161 | 5.75 - 5.85 5.5DBI ELFD W/HIGH FRQ MAG MNT, 25' PFP195 MTNC |
| Z3169 | 2.4 GHZ 6 DBI FIBRGLSS OMNI WITH MMK8A MNT |
| Z3170 | 2.4 - 2.5 GHZ FIBERGLASS OMNI, 8 DBI NF W/MMK8A |
| Z3184 | 6 DBI 2.4 GHZ PANEL 48" PT RPBN |
| Z3281 | ELEVATED FEED, CELL/PCS 20' PFP195, MSMA |
| Z3283 | MDS 16DB GPS MAG MOUNT ANT, 17' RG-174/U, MSMA |
| Z3293 | CI DISPLAYS-GPS-TMG-50N, GPS-MNT-12" |
| Z3357 | 2.4 GHZ,ISM,8DBI,F.G.,OMNI,NF,MMK8A |
| Z3358 | 2.4 GHZ,ISM,8DBI,F.G.,OMNI,NF |
| Z3364 | 2.4 GHZ ISM, 10 DBI F.G OMNI,NF |
| Z3365 | 9DBI, 4.9 - 5GHZ, FIBERGLASS OMNI |
| Z405 | BMUX150D,BMLRF & BGLBN KIT |
| ZBGFL//C20 | G, 20' RGU400, TNC ATTACHED, BLACK |
| ZBMMC150S | BMMC150S TUNED TO 148 MHZ |
| ZMVP | MVP WITH GROUND PLANE,NO LOGO,NO BAG |